





БАТЛАВ: Төв аймгийн Өндөрширээт сумын

Соёлын төвийн дарга  Б. Энхтуул



ӨНДӨРШИРЭЭТ СУМЫН СОЁЛЫН ТӨВД ДУГАРАЛТЫН БОЛОН  
ГЭРЭЛТҮҮЛГИЙН БАРАА НИЙЛҮҮЛЭХ АЖЛЫН ДААЛГАВАР

Д/д	Нэр төрөл	Үзүүлэлт	Зураг	Тоо ширхэг
1	Чанга яригч /шингэн/	Frequency response: 60Hz-19kHz Power handling capacity: 300W Nominal impedance: 8ohms Sensitivity: 98dB/MF Dispersion angle: 100x10 degree		8ш
2	Чанга яригч 18" /нам/	Model: Pro218 sub Frequency response: 35-200Hz Power handling capacity: 1200W Nominal impedance: 4ohms Sensitivity: 111dB/MF Components: 1x18"		2ш
2	Чадлын өсгөгч	Model: Yamaha 2-channel power amplifier frequency response: 20-50,000 Hz (-1.5 dB) signal-to-noise ratio: 103 dB inputs: XLR and 1/4" TRS for channels A and B outputs: Neutrik Speakon jacks, 5-way binding posts, 1/4" jacks		2ш
3	Чадлын өсгөгч, нам	Model: Yamaha 2-channel power amplifier frequency response: 20-50,000 Hz (-1.5 dB) signal-to-noise ratio: 103 dB inputs: XLR and 1/4" TRS for channels A and B outputs: Neutrik Speakon jacks, 5-way binding posts, 1/4" jacks		1ш

4	Микшерийн пульт	EMX124P 1000Wx4, 8ohm, 12ch (10 mono+2stereo) power mixer with 4.7inch color screen, play color screen, MP3/USB/BT/PC/radio/ recorder /optical,32DSP effect		1ш
5	Дууны процессор	Frequency Response:20 Hz to 20 kHz, (+0 / -0.5 dB) Input: 4 Output:6		1ш
6	Тэжээлийн блок	power output channels:6 full-frequency signal inputs/outputs: 4 outputs/speaker load inputs: 16 group		1ш
7	Мик, 4 гаргай	Frequency range: UHF500-900MHz S/N Ratio: >95dB THD: <0.5% (1kHz) Dynamic range: 95dB Audio response: 50Hz-18kHz		1сет
8	Аудио хайрцаг	Ус, шороо тоосны хамгаалалттай.		1ш
9	Холбох хэрэгсэл	Cable set		1ком
1	Beam 300 гэрэл	Power: 100-240V Light source: 16R lamp Power consumption: 600w Channel: 16 or 20 Color: 9 and white Gobo: 17 and white		6ш

2	Хөдөлгөөнт лед гэрэл	Power: 90-240V, 50-60Hz Light source: 36stars 10W Power consumption: 360w Channel: 14		4ш
3	Пар гэрэл	90-240V Lamp beads: 18pcs*15W Power:180W Control channel: 10 Control mode: DMX512		12ш
4	Соб гэрэл 200W	90-246V Lamp beads: 200W Color: white, warm light Channel: 7 Control mode: DMX512		4ш
5	Лед диско гэрэл	90-260V, 50-60Hz Power consumption: 125W Lamp beads: 8*8W Control Channel: 15 Control mode: DMX512		2ш
6	Холбох хэрэгсэл	Cable set		1ком
7	Зөөврийн компьютер	Intel® Core™ i5-1235G7 8 GB DDR4-3200 MHz RAM (2 x 4 GB) 15" diagonal, HD (1366 x 768), micro-edge, BrightView, 250 nits, 45% NTSC		1ш
8	Цахилгааны кабель, щит	380V-4.4mm		150м