

БАТЛАВ:ДЦС-4 ТӨХК ГҮЙЦЭТГЭХ ЗАХИРАЛ

Ү.ТӨМӨРХУЯГ

“ДЦС-4” ТӨХК

Огноо: **2020.08.31**

**ХАГ ХУРДАС УДААШРУУЛАГЧ БОДИС НИЙЛҮҮЛЭХ
ҮНИЙН САНАЛ АВАХ БАРИМТ БИЧИГ**

**Харьцуулалт/
гэрээний дугаар:**

ХХА-2020/62

“ҮНИЙН САНАЛ АВАХ УРИЛГА”

“ДЦС-4” ТӨХК нь сонгогдсон эрх бүхий тендерт оролцогчдоос Хаг хурдас удаашруулагч бодис нийлүүлэх тухай цахим үнийн санал ирүүлэхийг урьж байна.

Тендер нь түүнийг нээсэн өдрөөс эхлэн 30 хоногийн дотор хүчинтэй байна.

Үнийн санал ирүүлэх барааны техникийн тодорхойлолт болон холбогдох бусад материалыг Төрийн худалдан авах ажиллагааны www.tender.gov.mn цахим системээс үнэ төлбөргүй авч болно.

Үнийн саналыг 2020 оны 09-р сарын 07-ний өдрийн 10.00 цагаас өмнө Төрийн худалдан авах ажиллагааны www.tender.gov.mn цахим системээр илгээнэ.

2020 оны 09-р сарын 07-ний өдрийн 10.30-д цахим системээр нээнэ. Сонирхсон этгээд бусад мэдээллийг доорх хаягаар авч болно

ДЦС-4” ТӨХК ХУДАЛДАН АВАХ АЖИЛЛАГААНЫ ХЭЛТЭС
Улаанбаатар хот Баянгол дүүрэг 20-р хороо Эрчим хүчний гудамж
Захиргааны байр 3-р давхар 311,312 тоот өрөө
Утас:70181309, 7017-1357

Хоёр. ТЕНДЕРТ ОРОЛЦОГЧДОД ӨГӨХ ЗААВАРЧИЛГАА

- | | |
|---|---|
| 1. Эрх бүхий тендерт оролцогч ба эрх бүхий бараа | 1.1. Тендерт оролцогч нь “Төрийн болон орон нутгийн өмчийн хөрөнгөөр бараа, ажил, үйлчилгээ худалдан авах тухай” хуулийн 14-16 дугаар зүйл буюу Тендер шалгаруулалтын өгөгдлийн хүснэгт /цаашид “ТШӨХ” гэх/-д заасан холбогдох шаардлагыг хангасан байна. |
| 2. Тендер ирүүлэх, тендерийн нээлт | 2.1. Захиалагч тендерүүдийг ТШӨХ-д заасан захиалагчийн хаягаар, ТШӨХ-д заасан огноо, цагаас өмнө хүлээн авна.
2.2. Тендерийг ТШӨХ-д заасан хугацаанд, ТШӨХ-д заасан газар нээлтийг хийнэ. |
| 3. Тендерийн иж бүрдэл | 3.1. Тендерт оролцогчийн бэлтгэж ирүүлэх тендер нь дараах зүйлээс бүрдэнэ. Үүнд:
(а) Үнийн санал;
(б) Үнийн болон нийлүүлэлтийн хуваарь;
(в) Чадварын мэдээлэл /санхүүгийн тайлан сүүлийн нэг жил компаний гэрчилгээний хуулбар |
| 4. Тогтмол үнэ | 4.1. Тендерт оролцогчийн санал болгосон үнэ нь төгрөгөөр илэрхийлэгдсэн байх ба гэрээг хэрэгжүүлэх хугацаанд тогтмол байна. Үнийн тохируулгын нөхцөлтэйгээр ирсэн үнийн саналаас татгалзана. |
| 5. Техникийн тодорхойлолт ба арилжааны нөхцөлүүд | 5.1. Нийлүүлэх бараа нь техникийн тодорхойлолтын шаардлагыг бүрэн хангасныг тендерт оролцогч батлах үүрэгтэй. Нийлүүлэх бараа нь техникийн тодорхойлолтын шаардлагаас зөрсөн тохиолдолд тухайн тендерээс татгалзана.
5.2. Тендерт оролцогч нь энэ баримт бичигт заасан арилжааны нөхцөлүүдийг бүрэн хангасныг албан бичгээр батлан тендерийн хамт ирүүлнэ. |
| 6. Үнийн саналын хүчинтэй байх хугацаа | 6.1. Үнийн санал нь түүнийг ирүүлсэн өдрөөс хойш 30 хоногийн хугацаанд хүчинтэй байна. |
| 7. Санал болгосон үнэ, түүнийг үнэлэх | 7.1. Тендерт оролцогч үнийн саналдаа холбогдох бүх даатгал, тээврийн зардал, татвар, хураамжийг оруулж үнийн хуваарийн дагуу ирүүлнэ.
7.2. Бараа нийлүүлэлтийн хуваарьт заасан бараа нь ТШӨХ-д заасан багцаас бүрдэх ба багцад орсон нэр төрөл бүрд заавал үнийн санал ирүүлнэ.
7.3. Захиалагч техникийн тодорхойлолт болон бусад нөхцөл шаардлагыг хангасан оролцогчдын үнийг харьцуулж хамгийн бага үнэ санал болгосон тендерт оролцогчид гэрээ байгуулах эрхийг олгоно. |
| 8. Гэрээ байгуулах эрх олгох тухай мэдэгдэл | 8.1. Захиалагч нь шалгарсан тендерт оролцогчид гэрээ байгуулах эрх олгосныг түүний тендер хүчинтэй байх хугацаа дуусахаас өмнө албан бичгээр мэдэгдэнэ. Энэ мэдэгдэлд гэрээнд заасны дагуу хийгдэх ажилд төлөх мөнгөн дүн буюу гэрээний үнийг заана. Гэрээний үнэ нь залруулга болон үнийн хөнгөлөлтийг (түүний дотор нөхцөлтэй үнийн хөнгөлөлт) тооцсон тендерийн үнэ байна. |

Гурав. **ТЕНДЕР ШАЛГАРУУЛАЛТЫН ӨГӨГДЛИЙН ХҮСНЭГТ**

ТӨӨЗ-ны холбогдох заалт	Шалгуур үзүүлэлт
ТӨӨЗ 1.1	<ul style="list-style-type: none"> - Сүүлийн [нэг] жилийн санхүүгийн тайлан болон /аудит шаардлагагтай/; - Компаний гэрчилгээний хуулбар хувь - Техникийн тодорхойлолт хангасан байх - Бүтээгдхүүн Стандартад нийцсэн байх - Татварын тодорхойлолт - Химийн хорт болон аюултай бодисыг экспортлох, импортлох, хил дамжуулан тээвэрлэх, үйлдвэрлэх, ашиглах, худалдах аж ахуйн үйл ажиллагааны тусгай зөвшөөрөл - Сүүлийн нэг жилийн туршилга
ТӨӨЗ 2.1	<p>Тендер хүлээн авах хаяг, эцсийн хугацаа нь: “ДЦС-4” ТӨХК Худалдан авах ажиллагааны хэлтэс</p> <p>Улаанбаатар хот Баянгол дүүрэг 20-р хороо Эрчим хүчний гудамж</p> <p>Давхар болон ерөөний дугаар:Захиргааны байр 3-р давхар 310,312 тоот өрөө</p> <p>Огноо: 2020 оны 09-р сарын 07-ны өдөр</p> <p>Цаг: 10 цаг 00 минут</p>
ТӨӨЗ 2.1	<p>Тендер нээлт хийх газар хугацаа нь:</p> <p>Байгууллагын хаяг: “ДЦС-4” ТӨХК Худалдан авах ажиллагааны хэлтэс</p> <p>Улаанбаатар хот Баянгол дүүрэг 20-р хороо Эрчим хүчний гудамж</p> <p>Давхар болон ерөөний дугаар: Захиргааны байр 3-р давхар 310,312 тоот өрөө</p> <p>Огноо: 2020 оны 09-р сарын 07-ны өдөр</p> <p>Цаг: 10 цаг 30 минут</p>
ТӨӨЗ 6.2	<p>Энэхүү тендер шалгаруулалт нь дараах нэр, дугаар бүхий багцуудаас бүрдэнэ: ХХА-2020/62 дугаартай Хаг хурдас удаашруулагч бодис нийлүүлэх</p>

**“ДЦС-IV ТӨХК”-ИЙН ХИМИ ЦЕХЭД АШИГЛАГДАХ ХАГ ХУРДАС
УДААШРУУЛАГЧИЙН ТЕХНИКИЙН ТОДОРХОЙЛОЛТ**

1	Бүтээгдэхүүний нэр	HYDREX 4104
2	CAS Дугаар	үгүй
3	Зориулалт	Эсрэг осмосын хаг хурдас удаашруулагч
5	Физик шинж чанар	Шингэн
6	Өнгө	Бүдэг шар
7	Нягт	1.2-1.23 гр/см ³
8	Уусах чанар	100%
9	Үнэр	үгүй
10	pH	pH 6-6.5
11	Хэмжээ, кг	25
12	Зориулалт	Хатуулаг, Цахиурын гаралтай хаг хурдас тогтохоос урьдчилан сэргийлэх үйлчлэлтэй
13	Хадгалах хугацаа	24 сар

MATERIAL SAFETY DATA SHEET

1. Chemical product and company identification

A. Product name HYDREX 4104

Other means of identification Not available.

B. Recommended use and Limitations on use

Recommended use Membrane Antiscalant

Limitations on use PROFESSIONAL USE ONLY

Supplier VWS Korea

Address East 16F, Signature Towers, 100 Cheonggyecheon-no, Jung-gu
Seoul, 04542
Korea

Contact Person Services & Consumables Department

Telephone +82 2 6323 2900

Fax +82 2 6323 2990

e-mail vws.korea@veolia.com

Global Emergency

Contact

+1-760-476-3960 (Code:333239)

C. Supplier information

2. Hazards identification

A. Hazard category/Classification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

B. Warning label items including precautionary statement

● **Pictogram** None.

● **Signal word** None.

● **Hazard statement** The mixture does not meet the criteria for classification.

● **Precautionary statement**

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

C. Other hazards not included None known.

**in the hazard category
criteria (e.g. dust explosion
hazard)**

Supplemental information None.

3. Composition/information on ingredients

The components are not hazardous or are below required disclosure limits.

4. First aid measures

A. In case of eye contact Rinse with water. Get medical attention if irritation develops and persists.

B. In case of skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

C. In case of inhalation Move to fresh air. Call a physician if symptoms develop or persist.

D. In case of swallowing Rinse mouth. Get medical attention if symptoms occur.

E. Note to physician Treat symptomatically.

Most important Direct contact with eyes may cause temporary irritation.

**symptoms/effects, acute and
delayed**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

General advice

Material name: HYDREX 4104

MSDS Korea

5279 Version #: 01 Issue date: 10-10-2019 1 / 6

5. Fire-fighting measures

A. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Not available.

B. Specific hazards arising from the chemical (example: hazardous combustion products) During fire, gases hazardous to health may be formed.

C. Specific methods of fire-fighting

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures Move containers from fire area if you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

A. Personal precautions, protective equipment and emergency measures Keep unnecessary personnel away. For personal protection, see section 8 of the MSDS.

B. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.

C. Methods and materials for containment and cleaning up

7. Handling and storage

A. Precautions for safe handling Avoid forming spray/aerosol mists. Observe good industrial hygiene practices.

Protect from sunlight. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the MSDS). Store in cool, dry place.

B. Conditions for safe storage (including any incompatibilities)

8. Exposure controls/personal protection

A. Exposure limit values, biological limit values, etc

No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

B. Appropriate engineering controls General ventilation normally adequate.

C. Personal protective equipment

In case of insufficient ventilation, wear suitable respiratory equipment. Avoid forming spray/aerosol mists.

• Respiratory protection

• Eye protection Wear safety glasses with side shields (or goggles).

• Hand protection Chemical resistant gloves.

• Body protection Wear suitable protective clothing. Chemical resistant gloves.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Hygiene measures

9. Physical and chemical properties

A. Appearance

Physical state Liquid.

Material name: HYDREX 4104

MSDS Korea

5279 Version #: 01 Issue date: 10-10-2019 2 / 6

Form Clear Liquid.

Color Light yellow

B. Odor Slight Characteristic.

C. Odor threshold Not available.

D. pH 6 - 6.5

E. Melting point/freezing point Not available.

F. Boiling point, initial boiling point, and boiling range

Not available.

G. Flash point Not available.

H. Evaporation rate Not available.

I. Flammability (solid, gas) Not applicable.

J. Upper/lower limit on flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

K. Vapor pressure Not available.

L. Solubility

Solubility (water) 100 % Complete in water

M. Vapor density Not available.

N. Specific gravity 1.2 - 1.23

O. n-octanol/water partition

coefficient

Not available.

P. Auto-ignition temperature Not available.

Q. Decomposition

temperature

Not available.

R. Viscosity Not available.

S. Molecular weight Not available.

Other data

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Shelf life 24 months

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

A. Stability and hazardous reaction potential

Stability Material is stable under normal conditions.

Hazardous reaction potential No dangerous reaction known under conditions of normal use.

potential

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.

B. Conditions to avoid (e.g.

static discharge, shock or

vibration, etc)

C. Incompatible materials Strong oxidizing agents.

D. Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information

A. Information on likely routes of exposure

• **Respiratory organs** No adverse effects due to inhalation are expected.

• **Skin** No adverse effects due to skin contact are expected.

• **Eyes** Direct contact with eyes may cause temporary irritation.

• **Mouth** Expected to be a low ingestion hazard.

Material name: HYDREX 4104

MSDS Korea

5279 Version #: 01 Issue date: 10-10-2019 3 / 6

B. Information on health hazards

• **Acute toxicity (list all**

possible routes of

exposure)

May cause temporary eye irritation.

Product Species Test Results

HYDREX 4104

Dermal

Acute

LD50 Rabbit > 5000 mg/kg calculated

Liquid

Oral

LD50 Rat \geq 5000 mg/kg calculated

Liquid

• **Corrosivity or irritation to the skin**

Prolonged skin contact may cause temporary irritation.

• **Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

damage/eye irritation

• **Respiratory sensitization**

Not a respiratory sensitizer.

• **Skin sensitization** This product is not expected to cause skin sensitization.

• **Carcinogenic properties**

/Carcinogenicity

Not classifiable as to carcinogenicity to humans.

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

• **Mutagenic properties**

/Mutagenicity

• **Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

• **Specific target organ**

toxicity - single exposure

Not classified.

• **Specific target organ**

toxicity - repeated

exposure

Not classified.

• **Aspiration hazard** Not an aspiration hazard.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

A. Ecotoxicity

Product Species Test Results

HYDREX 4104

Aquatic

Acute

Crustacea EC50 Daphnia $>$ 100 mg/l, 48 hours calculated

Fish LC50 Fish \geq 1000 mg/l, 96 hours calculated

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Hazardous to the aquatic environment, acute hazard

B. Persistence/degradability No data is available on the degradability of any ingredients in the mixture.

C. Bioaccumulative potential No data available.

D. Mobility in soil This product is miscible in water.

E. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

A. Method of disposal Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

B. Disposal considerations (including disposal of contaminated containers or packaging)

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste code

Material name: HYDREX 4104

MSDS Korea

5279 Version #: 01 Issue date: 10-10-2019 4 / 6

14. Transport information

IATA

A. UN number Not applicable.

B. UN proper shipping Not applicable.

name

Class Not applicable.

C. Transport hazard class(es)

Subsidiary risk -

D. Packing group Not applicable.

E. Environmental hazards No.

F. Special precautions for Not applicable.

user

IMDG

A. UN number Not applicable.

B. UN proper shipping Not applicable.

name

Class Not applicable.

C. Transport hazard class(es)

Subsidiary risk -

D. Packing group Not applicable.

Marine pollutant No.

E. Environmental hazards

EmS Not applicable.

F. Special precautions for Not applicable.

user

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

A. Restrictions under the Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacturing

Not regulated.

Harmful Substances Requiring Permission for Manufacture or Use

Not regulated.

Controlled Hazardous Substances

Not regulated.

Harmful Substances Requiring Special Medical Examination

Not regulated.

Workplace Environmental Monitoring Harmful Materials

Not regulated.

Occupational Exposure Limit

Not regulated.

B. Restrictions under the Chemicals Control Law (Previously Toxic Chemicals Control Law)

Accidental Release Prevention Substances

Not regulated.

Act on the Registration and Evaluation of Chemicals

Banned Toxic Chemicals

Not regulated.

Designated Existing Chemicals Subject to Registration (PEC) (MoE No. 2015-92)

Not listed.

Restricted Chemical Substances

Not regulated.

Toxic Chemicals

Not regulated.

C. Restrictions under the Dangerous Substance Safety Management Act

D. Restrictions under the Wastes Control Act

Halogenated Materials in Waste Organic Solvents

Not regulated.

Material name: HYDREX 4104

MSDS Korea

5279 Version #: 01 Issue date: 10-10-2019 5 / 6

Hazardous Substances

Not regulated.

E. Restrictions under other foreign or domestic laws

Clean Air Conservation Act

Air Pollutants

Not regulated.

Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides (Rules on PIC, MoE No.

2014-252, Dec. 31, 2014; Standards for Pesticides, RDA No. 2014-26), as amended

Not listed.

Specific Air Pollutants

Not regulated.

This material safety data sheet was prepared in accordance with Article 41 of the Industrial Safety and Health Law.

Further information

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

Korea Existing Chemicals List (ECL) Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control Law, Executive Order No. 19203)

Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1)

Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29)

Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30)

Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor (MOL) Public Notice No. 1986-45, as amended)

Korea. Prohibited Chemical Substances (TCCL Article 11)

Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001, as amended)

Korea. Restricted Chemical Substances (TCCL Article 11)

Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI)

Korea. Toxic Chemical Control Law (TCCL), pre-1997 List

Korea. Toxic Chemicals (TCCL Article 10)

Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14)

Korea. Accidental Release Prevention Substances (Pres. Decree of Toxic Chemical Control Law, Ex. Order No. 19203, Tables 2 & 3, Dec 28, 2005)

Korea. OELs (ISHL Article 42; MOL Public Notice No. 1986-45, as amended through MOEL Notice 2013-38, August 14, 2013)

Korea. Prohibited Chemical Substances (AREC "K-REACH" Article 27; Designation of Toxic, Restricted or Banned Chemicals Appendices 4 and 5)

Korea. Restricted Chemical Substances (AREC "K-REACH" Article 27; Designation of Toxic, Restricted or Banned Chemicals Appendices 2 and 3)

KECI, January 27, 2015, amended through MoE 2016-138, July 13, 2016

Korea. Toxic Chemicals (AREC "K-REACH" Article 20; Designation of Toxic, Restricted or Banned Chemicals Appendix 1)

Korea. Toxic Release Inventory (TRI) Chemicals (MOE Public Notice No. 2002-166, Nov. 8, 2002)

A. Source of information

B. Issue date 10-10-2019

C. Number of revisions and Not applicable.
date of most recent revision

D. Other Not available.

Not available.

Veolia Water Technologies is not able to anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use and or non respect of Veolia Water Technologies' requirement.

Disclaimer

Material name: HYDREX 4104

MSDS Korea

БАРААНЫ ЖАГСААЛТ БА БАРАА НИЙЛҮҮЛЭЛТИЙН ХУВААРЬ

Нэр	Тодорхойлолт	Тоо ширхэг	Хэмжих нэгж	ТШӨХ-д заасан барааг хүргэх эцсийн цэг	Инкотермийн нөхцөлийн дагуу тогтоосон бараа нийлүүлэх хугацаа		
					Нийлүүлэх хамгийн эхний хугацаа	Нийлүүлэх эцсийн хугацаа	Нийлүүлэгчийн санал болгосон хугацаа
1	2	3	4	5	6	7	8
Хаг хурдас удаашруулагч бодис	HYDREX 4104	1,0	тн	ДЦС-4 ТӨХК-ийн агуулах	15 хоног	45 хоногт	

ДЦС-4 ТӨХК-ний Гүйцэтгэх захирал Ү.Төмөрхуяг танаа

1. Бид,дор дурдсан барааг(.....) төгрөгөөр үнийн саналын авах баримт бичгийн дагуу хоногийн дотор нийлүүлэхээр санал болгож байна.
2. Нийлүүлэх бараа нь техникийн тодорхойлолтын шаардлагыг бүрэн хангасныг гэрчлэх баримтыг хавсаргав.
3. Бид гэрээний ерөнхий болон тусгай нөхцөлийг хүлээн зөвшөөрч байна гэдгийг үүгээр батламжилж байна.

Нэр төрөл	Тодорхойлолт	Барааны гарал үүслийн улс	Тоо ширхэг	Нэгж үнэ
1	2	3	4	5
Тендерийн нийт үнэ				

Баталгаат хугацаа:12 сар

Санал болгож буй бусад нөхцөл:

Тендерт оролцогчийн нэр:

Эрх бүхий албан тушаалтны гарын үсэг, тамга:

Албан тушаал, нэр:

Хаяг:

2. НЭГДСЭН ХҮСНЭГТ: ӨМНӨ БОЛОН ОДОО ХЭРЭГЖИЖ БУЙ ГЭРЭЭ

Тендерт оролцогч хэрэгжүүлсэн болон одоо гүйцэтгэж буй бүх гэрээний талаар мэдээлэл ирүүлнэ.

Уг мэдээлэл нь гэрээ хэрэгжүүлэх чадавхигүй болсон эсхүл ажил дуусгавар болсон гэрчилгээ буюу ажил хүлээлцсэн актаа хүлээн авч байгаа гэрээний хувьд хамаарахгүй.

Гэрээний нэр	Захиалагч, холбоо барих хаяг/утас/факс	Гэрээний үнийн дүн	Гэрээний эхлэх хугацаа	Гэрээний дуусах хугацаа
1.				
2.				
3.				
4.				
5.				
бусад.				

Тав. ГЭРЭЭНИЙ ЕРӨНХИЙ НӨХЦӨЛ

- | | | |
|--|-------|--|
| 1. Шалгах болон турших | 1.1. | Техникийн тодорхойлолтыг хангаж буй эсэхийг баталгаажуулах зорилгоор захиалагч эсхүл түүний төлөөлөгч барааг шалгах, турших эрхтэй. Гэрээний тусгай нөхцөл (ГТН)-д, эсхүл техникийн тодорхойлолтод захиалагч ямар шалгалт, туршилтыг хэзээ, хаана хийхийг заана. |
| 2. Барааны нийлүүлэлт ба баримт бичгийн бүрдүүлэлт | 2.1. | Нийлүүлэгдэх бараа нь техникийн тодорхойлолтод нийцсэн байх ба холбогдох стандартыг заагаагүй бол тухайн барааны гарал үүслийн улсын зохих стандартад нийцсэн байна. Үүнд эдгээр стандартын хамгийн сүүлчийн найруулгыг ойлгоно. Нийлүүлэгч ГТН-д заасан бол түүний дагуу тээврийн болон бусад баримт бичгийг бэлтгэж бүрдүүлнэ. |
| 3. Оюуны өмчийн эрх | 3.1. | Бараа, эсхүл түүний эд ангийг өмчлөх, ашиглахад патент, худалдааны тэмдэг, зураг төслийн эрх гэх мэт оюуны өмчийн эрхийг захиалагч болон нийлүүлэгч зөрчсөн хэмээн гуравдагч этгээдийн нэхэмжилсэн гомдлыг нийлүүлэгч барагдуулж, холбогдон гарах зардлыг хариуцна. |
| 4. Бараа хүргэх, тээврийн баримт бичиг ирүүлэх | 4.1. | Гэрээнд хэрэглэсэн үнэ болон бусад худалдааны нэр томъёог Инкотермс (INCOTERMS) буюу Парис хот дахь Олон улсын худалдааны танхимаас боловсруулж гаргасан сүүлийн хувилбарт тодорхойлсон утгаар ойлгоно. |
| 5. Баталгаат засварын хугацаа | 5.1. | Үйлдвэрлэгчийн тухайн бараанд олгодог баталгаат засварын хугацаа [нэг] жил байна. |
| 6. Гэрээнд өөрчлөлт оруулах | 6.1. | Гэрээний дагуу нийлүүлэгдэх барааны нэр төрөл, үзүүлэлтийг өөрчлөхгүй. |
| 7. Төлбөр | 7.1. | Захиалагч төлбөрийг нэхэмжлэх хүлээн авснаас хойш [ГТН-д заасан тоо] хоногийн дотор шуурхай хийнэ. |
| 8. Бараа нийлүүлэх хуваарь | 8.1. | Нийлүүлэгч барааг хүргэхдээ техникийн тодорхойлолтод заасан бараа нийлүүлэлтийн хуваарийг мөрдөнө. |
| 9. Алданги оногдуулах | 9.1. | Захиалагч нийлүүлэгчийн хугацаа хоцорч нийлүүлсэн бараа, гүйцэтгэсэн үйлчилгээний гэрээний үнийн ГТН-д заасан хувьтай тэнцэх алданги оногдуулж, гэрээний үнийг тэр хэмжээгээр бууруулна. Алдангийн нийт дүн ГТН-д заасан дээд хэмжээнээс хэтрэхгүй. |
| 10. Үүргээ биелүүлээгүй-гээс гэрээг цуцлах | 10.1. | Нийлүүлэгч гэрээний үүргээ биелүүлээгүй тохиолдолд захиалагч гэрээг цуцалж, захиалагчид учирсан аливаа хохирлыг нийлүүлэгч барагдуулна. |
| 11. Маргааныг шийдвэрлэх | 11.1. | Талууд гэрээний үүргийн биелэлттэй холбогдсон асуудлаар тохиролцоонд хүрч чадахгүй бол зохих тал шүүхэд нэхэмжлэл гаргана. |

Зургаа. ГЭРЭЭНИЙ ТУСГАЙ НӨХЦӨЛ

1. Шалгах болон турших (ГЕН – 1)
- 1.1. [Гэрээний ерөнхий нөхцөлийн 1 дүгээр зүйлийг дэлгэрүүлэх шаардлагатай бол ямар шалгалт болон туршилтыг хэн, хэзээ хийх нөхцөлийг заана.]
2. Барааны нийлүүлэлт ба баримт бичгийн бүрдүүлэлт (ГЕН – 2)
- 2.1. Нийлүүлэгчийн бүрдүүлэх тээврийн болон бусад баримт бичгүүд:
- 1) нийлүүлэгчийн барааны нэр, тоо ширхэг, нэгж болон нийт үнийг заасан нэхэмжлэхийн хувь;
 - 2) барааг хүргэсэн тухай баримт, төмөр замын болон тээврийн баримт;
 - 3) үйлдвэрлэгчийн буюу нийлүүлэгчийн баталгаат засварын гэрчилгээ;
 - 4) үйлдвэрийн буюу эрх бүхий байгууллагын шалгалтын гэрчилгээ;
 - 5) барааны гарал үүслийн гэрчилгээ.
- Энд жагсаасан баримт бичгийг бараа хүрэлцэн ирэхээс өмнө захиалагчид өгсөн байна. Баримт бичгийг энэ хугацаанд захиалагчид өгч чадаагүйгээс гарах зардлыг нийлүүлэгч хариуцна.
3. Баталгаат засвар (ГЕН-5)
- 5.1. Баталгаат засварын тусгай шаардлага.
- [Гэрээний ерөнхий нөхцөлийн 5 дугаар зүйл нь баталгаат засварын тухай нийтлэг заалтыг агуулна. Энэхүү нийтлэг заалтыг өөрчлөх шаардлага гарвал энд тусгана.]
4. Төлбөр (ГЕН – 7)
- 7.1. Гэрээний ерөнхий нөхцөлийн 7 дугаар зүйлийг дараах байдлаар дэлгэрүүлнэ. Үүнд:
- Гэрээний үнийн дүнгийн **100** хувийг барааг хүлээн авсан акт болон гэрээний ерөнхий нөхцөлийн 2 дугаар зүйлд заасан баримт бичгийг үндэслэн төлнө.
5. Алданги оногдуулах (ГЕН - 9)¹
- 9.1. Алданги оногдуулах хувь: **[0,1]**
- Алдангийн нийт дүн: гэрээний үнийн дүнгийн **[гучин] хувь**

БАТЛАВ.

ЗАХИАЛАГЧ

(Тамга, тэмдэг)

(Гарын үсэг)

(Албан тушаал)

НИЙЛҮҮЛЭГЧ

(Тамга, тэмдэг)

(Гарын үсэг)

(Албан тушаал)

Дугаар №

Улаанбаатар хот

Нэг талаас **“ДЦС-4” ТӨХК** (цаашид “захиалагч” гэх), нөгөө талаас (цаашид “нийлүүлэгч” гэх) дараах зүйлийг харилцан тохиролцож 2020 он..... сарын.....ны өдөр энэхүү ГЭРЭЭГ (цаашид “гэрээ” гэх) байгуулав.

1. Монгол Улсын Иргэний болон бусад хууль тогтоомжийн дагуу бараа, бүтээгдэхүүн нийлүүлэхтэй холбогдон захиалагч, нийлүүлэгчийн хооронд үүсэх харилцааг зохицуулах, харилцан хүлээх үүрэг, хариуцлагыг тогтооход энэхүү гэрээний ач холбогдол оршино.
2. Захиалагч нь **[гэрээний нэр, дугаар]**-г (цаашид “бараа” гэх) **[гэрээний үнийг тоогоор болон үсгээр]** (цаашид “гэрээний үнэ” гэх) нийлүүлэхээр ирүүлсэн нийлүүлэгчийн тендерийг үүгээр хүлээн зөвшөөрөв. Гэрээний үнэ нь санхүүжилтийн нийт гүйцэтгэл болно.
3. Захиалагч нь барааны нийлүүлэлтийг төгрөгийн өөрийн хөрөнгөөр санхүүжүүлнэ.
4. Нийлүүлэгч нь цахилгаан хөдөлгүүрийг 2020 оны ... дугаар сарын ...-наас 2020 оны... дугаар сарын-ны өдрийн дотор нийлүүлж хүлээлгэж өгнө.
5. Дор дурдсан баримт бичиг нь гэрээний салшгүй хэсэг болно (цаашид “гэрээний баримт бичиг” гэх). Үүнд:

Гэрээ байгуулах эрх олгох тухай мэдэгдэл;
Бусад шаардлагатай баримт бичиг²;
Үнийн санал;
Гэрээний тусгай нөхцөл;
Гэрээний ерөнхий нөхцөл;
Техникийн тодорхойлолт болон бараа нийлүүлэлтийн хуваарь;
Санхүүжилтийн хуваарь.

Гэрээ нь энд дурдсан барааны нийлүүлэлтийн талаарх талуудын хоорондын эцсийн тохиролцоо болох ба урьд өмнө үйлдсэн бүх хэлцлийг орлоно. Хэрэв гэрээний баримт бичгүүд хоорондоо зөрчилдвөл дээр дурдсан дарааллын дагуу ач холбогдол өгч шийдвэрлэнэ.

6. Нийлүүлэгч нь энэ гэрээний дагуу захиалагчийн төлөх төлбөрийг үндэслэн энэхүү гэрээний бүх нөхцөл, болзолд нийцүүлэн энд заасан барааг нийлүүлж, гэмтэл согог арилгах үүрэг хүлээнэ.

² Хоёр тал харилцан тохиролцож гэрээний нөхцөлд оруулсан зайлшгүй шаардлагатай нэмэлт, өөрчлөлтүүд.

7. Захиалагч нь гэрээний дагуу нийлүүлэгчийн нийлүүлэх бараа болон гэмтэл согог арилгах үйлчилгээг үндэслэн гэрээний үнэ, эсхүл тухайн үед гэрээний заалтын дагуу төлөх бусад дүнг гэрээнд заасан хэлбэрээр нийлүүлэгчид төлөх үүрэг, хүлээнэ.
8. Гэрээнд холбогдох асуудлаар талууд албан бичгээр буюу шуудан, телекс, цахилгаан болон факсаар харилцана.

ЗАХИАЛАГЧИЙГ ТӨЛӨӨЛЖ:

ЗАХИАЛАГЧИЙГ ТӨЛӨӨЛЖ:

Менежер

“ДЦС-4” ТӨХК Худалдан авч Хаяг:.....Утас/факсын дугаар:
ажиллагааны хэлтэс

Утас/факс 70181309, 70181357

БАНК:

Банк: Хаан банк 5038008126

ДАНС:

Голомт банк 1202038052